

Coca-Cola® catalogue

 **TAPRITE**

DSI
unique draught technologies

 **SCHROEDER**™
America

VINSERVICE

ITALY


aalberts


dispense
technologies



from the BIB to the faucet

Craft design, certified quality of materials, world class manufacturing

Towers	Page 4
Dispensers	Page 14
Ice bins	Page 20
Chillers / Coolers	Page 22
Regulators and carb equipment	Page 26
BIB racks	Page 30



four trusted brands, one quality solution

EN

Four trusted brands, each an industry leader in their own right, now combined for the convenience of a "one stop shop" with the advantages of an international footprint. Beverage solutions under one prominent, innovative name – Aalberts Dispense Technologies. Four brands of the highest quality endorsing the philosophy that "Individual talent may win races, but it is teamwork that wins championships". Aalberts Dispense Technologies is determined to provide the best components and concepts for total beverage dispensing solutions while delivering unparalleled quality across all applications. This catalogue is the starting point to an easy and concise source to review options and plan for the future.

IT


Dall'unione di quattro marchi di fiducia, ognuno di essi leader nel proprio settore, nasce il "one stop shop" di Aalberts Dispense Technologies: un'unica realtà che coniuga la comodità di un punto vendita integrato ai vantaggi di un'impronta internazionale. Aalberts Dispense Technologies offre soluzioni innovative per bevande alla spina condividendo la filosofia che "Il talento ti fa vincere una partita. L'intelligenza e il lavoro di squadra ti fanno vincere un campionato". Aalberts Dispense Technologies si pone l'obiettivo di offrire idee e soluzioni a 360 gradi e di prima qualità. Questo catalogo è il punto di partenza per scoprire l'ampia gamma di alternative per i vostri progetti futuri.

DE

Vier vertrauenswürdige Marken, jeder ein Branchenführer in seinem Segment, kombinieren Ihre Synergien um international den Vorteil zu gewährleisten, sämtliche Produkte aus einer Hand anzubieten. Hochwertige Produkte für die Getränkeindustrie unter einem innovativen und renommierten Namen – Aalberts Dispense Technologies. Vier Marken von höchster Qualität, die die Philosophie unterstützen, dass: „Einzelne Talente Rennen gewinnen können aber im Team Meisterschaften zu gewinnen“. Aalberts Dispense Technologies hat den Anspruch, die besten Komponenten und Konzepte für komplette Schankanlagen in der Getränkeindustrie zu liefern und gleichzeitig eine unvergleichliche Qualität in allen Applikationen zu generieren. Als Einleitung stellt dieser Katalog für Sie eine strukturierte und informative Quelle dar, um Alternativen zu prüfen und für die Zukunft zu planen.

ES

Cuatro marcas de confianza, cada una líder de la industria en su propio derecho, ahora se combinan para la conveniencia de un "ventanilla única" con las ventajas de una huella internacional. Soluciones de bebidas bajo un nombre prominente e innovador - Aalberts Dispense Technologies. Cuatro marcas de la más alta calidad apoyando la filosofía de que "talento individual puede ganar carreras, pero es el trabajo en equipo que gana campeonatos". Aalberts Dispense Technologies está decidida a proporcionar los mejores componentes y conceptos para las soluciones de dispensación total de bebidas, a la vez que ofrece una calidad sin precedentes en todas las aplicaciones. Este catálogo es el punto de partida para una fuente fácil y concisa para revisar las opciones y planificar para el futuro.



towers



Vin Service

Freeze

Body:

- Anodized aluminum in black or gray finish with LED illuminated logo and 6 LED illuminated brand fish-eye medallions.
- Top panel with real ice layer.

Valves:

- 6 or 8

Dimensions without valves

(Height x Width x Depth):

- 460 x 596 x 224 mm
- 18.11 x 23.46 x 8.82 in

No needed of glycol cooler



Freeze
top panel has
real ice layer!



Energy saving
solution to grow ice
with Peltier cells.
Soda recirculation is
enough to build the
ice layer!

Breeze

Body:

- Anodized extruded aluminum in black or gray finish.
- Brand decals on plexiglass crowned
- LED illuminated logos and customizable plate

Valves:

- 6 or 8

Dimensions without valves

(Height x Width x Depth):

- 435 x 575 x 170 mm
- 17.12 x 22.64 x 6.69 in

STB Evolution

For a rapid switch
from carbonated to
non-carbonated
beverage



Laser Engraved Logo



Black Version



Vacuum Molded
Logo

Breeze Premium

Body:

- Anodized aluminum with black or gray finish and LED illuminated logo

Valves:

- 6 or 8

Dimensions without valves

(Height x Width x Depth):

- 460 x 596 x 224 mm
- 18.11 x 23.46 x 8.81 in



Grey Version

Fusion Premium

Body:

- Anodized extruded aluminum in black or gray brushed metal finish.
- LED illuminated logos and customizable central plate.

Valves:

- 5, 6 or 8

Dimensions without valves

(Height x Width x Depth):

- 540 x (420 to 600) x 190 mm
- 21.26 x (16.54 to 23.62) x 7.48 in



Black Version



STB Evolution

For a rapid switch from carbonated to non-carbonated beverage

Fusion T

Body:

- Anodized extruded aluminum with brushed metal finish.
- Central laser engraved logo.
- With optional acrylic glass crowner

Colors:

- Black or Grey

Valves:

- 5, 6 or 8

Dimensions without valves

(Height x Width x Depth):

- 450 x (420 to 600) x 190 mm
- 17.72 x (16.54 to 23.62) x 7.48 in



Bubbling

Body:

- Extra resistant high density resin.
- Improved marketing effect with real bubbling technology.
- LED illumination.

Global Skeleton with STB

- For a rapid switch from carbonated to non-carbonated beverage.

Valves:

- Up to 6

Dimensions without valves

(Height x Width x Depth):

- 546 x 600 x 290 mm
- 21.5 x 23.62 x 11.42 in



Black Version

Double Red Head

Body:

- Extra resistant high density resin.
- LED illumination.

Colors:

- Red or Grey

Ways:

- Up to 6

Dimensions without valves

(Height x Width x Depth):

- 600 x 500 x 380 mm
- 23.62 x 19.68 x 14.96 in



Grey Version

- customer serve application

Magic Touch Tower

Body:

- Aluminum and ABS
- Double sided LED illuminated logo in relief
- Front big Gel Badge sticker

Dispense:

- 6 post-mix syrups + SODA + WATER
- Multi-flavor Schroeder America valve with all the flow controls easy to access by simply lifting the upper lid.
- (6 to 8 brands with a single nozzle)

Push to Pour or Portion Control

- Suitable to be installed on a Drop-in

Dimensions without valves

(Height x Width x Depth):

- 460 x 596 x 224 mm
- 18.11 x 23.46 x 8.81 in

7" Touch Screen



towers

dispensers

ice bins

Save service time
Choose the drink with a single touch

Embossed logo
Backlit illuminated



Touch screen 7"

Multi-flavor valve
6 to 8 drinks from 1 nozzle

Compatible
With standard installation
and drop-in

Integrated drip tray
With grid in stainless steel

chillers / coolers

regulators and
carb equipment

BIB racks

Metal

Body:

- Titanium or polished metal finish ABS with resin supporting frame.
- Led illuminated Coca Cola logo and engraved logo

Global Skeleton with STB

- For a rapid switch from carbonated to non-carbonated beverage.

Valves:

- 6 or 8

6 Valve Dimensions without valves

(Height x Width x Depth):

- 688 x 468 x 220 mm
- 27.09 x 18.43 x 8.66 in

8 Valve Dimensions without valves

(Height x Width x Depth):

- 688 x 600 x 220 mm
- 27.09 x 23.62 x 8.66 in



Rear View

LCD Color Display!



Metal (LCD)

- 7" (177.8 mm) LCD screen for premium marketing effect or Coca Cola laser engraved logo

Video player:

- MPEG-4, DIVX, XVID

Photo:

- JPG, slideshow, player

Audio:

- MP3

USB and Memory Card:

- SD/SDHC - MMC

Feng

Body:

- ABS with LED illuminated Coca Cola logo.
- Laser engraved front plaque.

Global Skeleton with STB

- For a rapid switch from carbonated to non-carbonated beverage.

Color:

- Red or Black

Valves:

- Up to 6

Dimensions without valves

(Height x Width x Depth):

- 570 x 490 x 220 mm
- 22.44 x 19.29 x 8.66 in



Black Version



Idea

Body:

- Extra resistant high density resin.
- LED illumination.

Global Skeleton with STB

- For a rapid switch from carbonated to non-carbonated beverage.

Ways:

- Up to 6

Dimensions without valves

(Height x Width x Depth):

- 600 x 550 x 250 mm
- 23.62 x 21.65 x 9.84 in



Germania

- The first choice for vintage outlets all over the world.

Body:

- Ceramic with gold or chrome finish

Colors:

- Red or White painted finish

Valves:

- Up to 8

Dimensions without valves

(Height x Width x Depth):

- 790 x 690 x 190 mm
- 31.1 x 27.16 x 7.48 in



White Version with Chrome



Red Version with Gold

Vittoria

- The first choice for vintage outlets all over the world.

Body:

- Ceramic with gold or chrome finish.

Colors:

- Red painted finish

Valves:

- Up to 6

Dimensions without valves

(Height x Width x Depth):

- 650 x 430 x 210 mm
- 25.59 x 16.93 x 8.27 in



Gold Version



Chrome Version

Arctic

- The ideal solution for small points of sale
- Clamp-on tower with 2 or 3 valves
- Body with front LED illuminated logo

Dimensions without valves

(Height x Width x Depth):

- 440 x 230 x 330 mm
- 17.32 x 9.05 x 12.99 in




Rear View

Flexibility and cost effectiveness

Super Technical Block:

- The Super Technical Block technology is a flexible and cost-effective solution as it allows the rapid switch of the supply of carbonated/non carbonated water to each post-mix valve. By simply turning a lever you can dispense either a carbonated soft drink or a non carbonated beverage, right on the point of sale without having to remove or replace the tubings.
- The S.T.B. Evolution technology simplifies the installation of any kind of tower or countertop unit, adding life value to the existing portfolio of units.
- Compatible with drop in equipment!



Claddings

- The Global Skeleton Tower concept allows to keep the technical part with valves and tubing installed and simply
- change the cladding.
- The tower image is renewed with a considerable saving (up to 70% less than the price of a complete new tower). The best solution to get a brand-new tower by simply investing round 30% of the tower regular price.
- Coca-Cola approved!


dispensers



Vin Service

Bar Gun Holders

- Complete with gun holder and/or drip tray



Rear View

Flash

Body:

- ABS with chrome finish.
- 80 mm LED illuminated medallion.

Dimensions

(Height x Width x Depth):

- 101 x 105 x 139 mm
- 3.98 x 4.13 x 5.47 in



Vela

Body:

- ABS with LED illuminated sides.
- Laser etched and illuminated brand on front metal plate.

Dimensions

(Height x Width x Depth):

- 290 x 192 x 95 mm
- 11.42 x 7.6 x 3.74 in

towers

dispensers

ice bins

chillers / coolers

regulators and
carb equipment

BIB racks

Non-Electric Post-Mix Dispenser

Dispenses:

- BIB and fresh brewed concentrate teas and flavored water

Flow rate:

- 1.5 - 3 oz./sec at 3:1 or 7:1 ratio

1 Valve Dimensions with base/drip tray

(Height x Width x Depth):

- 609.6 x 146 x 464.8 mm
- 24 x 5.75 x 18.3 in

2 Valve Dimensions with base/drip tray

(Height x Width x Depth):

- 571.5 x 254 x 464.8 mm
- 22.5 x 10 x 18.3 in

Units are ETL approved



Ice Cooled Dispensers with Plug-in Bar Guns

- Available in free-standing or drop-in
- Built in carbonator
- Foam in place cabinet

Bar Gun:

- Pepsi flow control up to 10 buttons

Ice Bin Capacity:

- 60 lb (27.22 kg)



15 x 23 Free-standing

Dimensions (Width x Depth):

- 381 x 584.2 mm
- 15 x 23 in

Height (with legs, without legs):

- 755.65, 552.45 mm
- 29.75, 21.75 in

23 x 23 Free-standing

- Can accommodate backslap & speed rail accessory

Dimensions (Width x Depth):

- 584.2 x 584.2 mm
- 23 x 23 in

Height (with legs, without legs):

- 755.65, 552.45 mm
- 29.75, 21.75 in

Bar Guns

Models:

- Flow control, mechanical, mixed

Dispense:

- Water, CO2, Post-mix, pre-mix, juice, high yield concentrated syrups, pungent syrups


Handle Material:

- High grade, vapor polished, durable "cast acrylic" (60% stronger than "extruded acrylic")

Customizable:

- Buttons, configuration, handle and nozzle color

ETL Sanitation Listed - Conforms to NSF 18



Flow Control



Mechanical

LCP2

2 Valves

Type:

- Cooler post-mix

Coolant gas:

- R404A - R290

Agitator:

- Agitator

CPU / Telemetry:

- optional available

IN/OUT drink temp.:


- 24°C - 4°C (75.2°F - 39.2°F)

Voltage:

- 220/240V - 50Hz
- 110V - 60Hz / 220V - 60Hz

Housing Material:

- steel plast



Dimensions (Height, Width, Depth)	Compressor	Power	Power consumption (W/hour)	Coils	Water tank nominal capacity	Ice Bank	Cooling capacity per hour	Rate of drink per min. (355 ml / 12 oz)	Net Weight	Carbonator
495 x 315 x 670 mm 19.49 x 12.4 x 26.38 in	1/4 hp	579 W 498 Kcal	247	2 syrup + soda + 1 H2O	18 L 4.75 gal.	6 kg 13.2 lb	47 L 12.4 gal.	2.26	32 kg 70.5 lb	1.3 L 0.34 gal.

California Heavy Duty

Type:

- Cooler post-mix

Coolant gas:

- R404A - R290

Agitator:

- Agitator

CPU / Telemetry:

- optional available

IN/OUT drink temp.:

- 24°C - 4°C (75.2°F - 39.2°F)

Voltage:

- 220/240V - 50Hz
- 110V - 60Hz / 220V - 60Hz

Housing Material:

- AISI 304 or AISI 404 and steel plast sides



Dimensions (Height, Width, Depth)	Compressor	Power	Power consumption (W/hour)	Coils	Water tank nominal capacity	Ice Bank	Cooling capacity per hour	Rate of drink per min. (355 ml / 12 oz)	Net Weight	Carbonator
725 x 475 x 640 mm 28.54 x 18.7 x 25.2 in	1/3+ hp	824 W 709 Kcal	392	6 syrup + soda + 1 H2O	50 L 13.2 gal.	18 kg 39.68 lb	100 L 26.42 gal.	4.7	62 kg 136.7 lb	2,0 L 0.53 gal.

ice bins

Taprite

Ice Bins

Body:

- Stainless steel

Insulation:

- Void-free, Inner liner foamed in-place

Cold Plates:

- Sealed-in 7, 8 and 9 circuit

Capacities:

- 60, 80 or 100 lb.
- 27.21, 36.29 or 45.36 kg

Available for both pre-mix and post-mix systems, as drop-in or free standing.

NSF Std 18 approved



Free-standing



Drop-in

towers

dispensers

ice bins

chillers / coolers

regulators and
carb equipment

BIB racks


chillers/coolers



**R290
coolant gas**



TÜV certified
and approved



Vin Service

LIFE

Pre-Mix

Vertical machines:

- Life 50 - Life 100 - Life 130

Horizontal machines:

- Life 65 - Life 115 - Life 145 - Life 250

R290 coolant gas and extra fuel compressor

- Ensures green efficiency and boots compressor power.

One-screw to service everything

- Integrated condenser cover allows fast and easy service to fan motor, fan blades, klixon relay and compressor capacity. It's all just a single screw away from you.

New, high efficiency heat exchanger

- Light and compact tubeless condenser. Re-designed to maximize heat exchange and cooling efficiency.

Up to 60% more cooling power

- With respect to corresponding models within the previous HE series

Recirculation pump:

- 8/10 mt fan ø 40

Housing material

- steel plast base st. steel

	Dimensions (Height, Width, Depth)	Compressor	Power	Power consumption (W/hour)	Coils	Water tank nominal capacity	Ice Bank	Cooling capacity per hour	Rate of drink per min. (355 ml / 12 oz)	Net Weight
LIFE 50	680 x 390 x 350 mm 26.77 x 15.35 x 13.77 in.	1/4 hp	539 W 465 Kcal	216	01 to 03	18 L 4.75 gal.	8 kg 17.6 lb	50 L 13.2 gal.	2.34	25 kg 55.1 lb
LIFE 65	500 x 410 x 610 mm 19.68 x 16.14 x 24 in.	1/4 hp	539 W 465 Kcal	216	01 to 03	25 L 6.6 gal.	12 kg 26.4 lb	65 L 17.2 gal.	3.05	34 kg 75 lb
LIFE 100	760 x 420 x 440 mm 29.92 x 16.53 x 17.32 in.	1/3 hp	697 W 602 Kcal	309	01 to 04	36 L 9.5 gal.	15 kg 33 lb	100 L 26.4 gal.	4.69	35 kg 77.1 lb
LIFE 115	540 x 430 x 640 mm 21.25 x 16.92 x 25.19 in.	1/2L hp	849 W 733 Kcal	362	01 to 04	36 L 9.5 gal.	15 kg 33 lb	115 L 30.4 gal.	5.39	40 kg 88.2 lb
LIFE 130	840 x 480 x 490 mm 33.07 x 18.89 x 19.29 in.	1/2 hp	895 W 773 Kcal	362	01 to 08	50 L 13.2 gal.	23 kg 50.7 lb	130 L 34.3 gal.	6.10	40 kg 88.2 lb
LIFE 145	630 x 500 x 740 mm 24.80 x 19.68 x 29.13 in.	1/2H hp	1033 W 892 Kcal	426	01 to 08	50 L 13.2 gal.	23 kg 50.7 lb	145 L 38.3	6.80	40 kg 88.2 lb
LIFE 250	720 x 590 x 900 mm 28.34 x 23.22 x 35.43 in.	3/4 hp	1710 W 1477 Kcal	649	01 to 10	90 L 23.7 gal.	40 kg 88.2 lb	250 L 66 gal.	11.73	65 kg 143.3 lb

towers

dispensers

ice bins

chillers / coolers

regulators and
carb equipment

BIB racks

ICE FREE

Post-Mix

R290 coolant gas

Switch kit for still products:

- Available upon request (electrovalve, relay, pressure reducer, pressure guard).

Optional Speed control soda recirculation pump:

- Electromagnetic pump with continuous speed control system and self-adjusting RPM (from 1100 to 3500). Up to 25% lower energy consumption than a single speed pump.

Premium 250 and 600 available

- 250 may come with one or two carbonations pumps and premium alarm probes.
- 600 premium comes with two separate circuits for carbonation and for cooling and premium alarm probes

Soda circuit pump (optional speed control)

- 150 L (39.6 gal.)

Carbonator

- 2.7 L (0.71 gal.)

Housing Material

- AISI 304 or AISI 404



	Dimensions (Height, Width, Depth)	Type	Compressor	Power	Coils
ICEFREE 150IP integrated pumps	700 x 575x 785 mm 27.56 x 22.64 x 30.9 in.	cooler post-mix	1/2 HP	849 W 730 Kcal	6 syrup + soda + H2O + 6 pneumatic pumps + 2PREMIX (optional)
ICEFREE 150IP	700 x 450 x 785 mm 27.56 x 17.72 x 30.9 in.	cooler post-mix	1/2 HP	849 W 730 Kcal	6 syrup + soda + H2O + 2PREMIX (optional)
ICEFREE 250IP	820 x 540 x 805 mm 32.28 x 21.26 x 31.69 in.	cooler post-mix	3/4 hp	1610 W 1384 Kcal	8 syrup + soda + H2O + 2PREMIX (optional)
ICEFREE 250IP PREMIUM	820 x 540 x 805 mm 32.28 x 21.26 x 31.69 in.	cooler post-mix	3/4 hp	1610 W 1384 Kcal	8 syrup + soda + H2O + 2PREMIX (optional)
ICEFREE 600IP	870 x 640 x 900 mm 34.25 x 25.2 x 35.43 in.	cooler post-mix	(2) 3/4 hp	3220 W 2768 Kcal	12 syrup + soda + H2O + 2PREMIX (optional)
ICEFREE 600IP PREMIUM	870 x 640 x 900 mm 34.25 x 25.2 x 35.43 in.	cooler post-mix	(2) 3/4 hp	3220 W 2768 Kcal	12 syrup + soda + H2O + 2PREMIX (optional)



Power consumption (W/hour)	Telemetry	CPU	Agitator \ Recirculation pump	Water tank nominal capacity	Ice Bank	Cooling capacity per hour	Rate of drink per min. (355 ml / 12 oz)	Net Weight
362	yes	standard alarm probes	agitator	60 L 15.85 gal.	20 kg 44.1 lb	150 L 39.62 gal.	7.04	70 kg 154.32 lb
362	yes	standard alarm probes	agitator	60 L 15.85 gal.	20 kg 44.1 lb	150 L 39.62 gal.	7.04	70 kg 154.32 lb
717	yes	standard alarm probes	agitator	90 L 23.77 gal.	30 kg 66.1 lb	250 L 66.04 gal.	11.73	85 kg 187.39 lb
717	yes	premium alarm probes	agitator	90 L 23.77 gal.	30 kg 66.1 lb	250 L 66.04 gal.	11.73	85 kg 187.39 lb
1434	yes	standard alarm probes	agitator	150 L 39.62 gal.	50 kg 110.2 lb	480 L 126.8 gal.	22.53	95 kg 209.44 lb
1434	yes	premium alarm probes	agitator	150 L 39.62 gal.	50 kg 110.2 lb	480 L 126.8 gal.	22.53	95 kg 209.44 lb

towers

dispensers

ice bins


chillers / coolers

regulators and
carb equipment

BIB racks

regulators and carb equipment

KEEP ARROW
BIB CAN



**All regulators
are UL 252
approved!**

Taprite

primary soda regulators

Build and tested per UL Std 252



1P1P

Inlet:

- CGA320

Outlet:

- 1/4 in. Barb with Check

Gauges:

- 160 lb and 2000 lb
- 11 bar and 140 bar

Order Quantity:

- Packs of 8



Adjustable Caps 2P2P

Wall Mount

Inlet:

- 1/4 in. Flare with 6' hose (CGA320)

Outlet:

- 1/4 in. Flare

Gauges:

- 100 lb, 160 lb and 2000 lb
- 7 bar, 11 bar and 140 bar

Order Quantity:

- Pack of 1

6' hose with tank connector included



Tamper Evident Caps 2P2P

Wall Mount

Inlet:

- 1/4 in. Flare

Outlet:

- 1/4 in. Barbe

Gauges:

- 100 lb, 160 lb and 2000 lb
- 7 bar, 11 bar and 140 bar

Order Quantity:

- Pack of 1

towers

dispensers

ice bins

chillers / coolers

regulators and
carb equipment

BIB racks

secondary soda regulators

Build and tested per UL Std 252



1P1P

Inlet:

- 1/4 in. Flare

Outlet:


- 1/4 in. Barb with Check

Gauges:

- 100 lb
- 7 bar

Order Quantity:

- Packs of 8



1P1P Economy

Inlet:

- CGA320

Outlet:

- 1/4 in. Flare with Check

Gauges:

- 160 lb and 2000 lb
- 11 bar and 140 bar

Order Quantity:

- Packs of 8

Mid-Carb Blending Module

- Inline design allows flexibility for installation options
- Module mounting bracket
- Easy flow control adjustments to meet carbonation requirements
- Built-in shut-offs
- Built-in check valves



Carbonator

Solid State Control Module:

- Enhances electrical safety by utilizing a signal level voltage on the probe.
- Removable without shut-off of CO2 or water.
- LED diagnostic indicators.

Probe Housing:

- Zero moving parts and maintenance free.
- More durable and long lasting compared to conventional float switch designs.

Electrical:

- 115V or 230V, 1/3 HP, 1725 RPM

Tank Capacity:

- 2.5 gal.
- 9.46 L

Unit is ETL approved



Carbonator Retrofit Kit

- Fits McCann Carbonators

BIB racks



Schroeder America

BIB Racks

Body:

- Cold rolled steel with black, powder-coated surface to be highly durable, resistant to corrosion, and environmentally friendly.

NSF STD-2 approved


Variety of sizes and styles to choose from



Flat Rack



Top Shelves



Rev. Aug. 2018

Taprite / sales@taprite.com / 1-800-779-8488

DSI / info@dsi-group.net / +49-0-23-85-772-0

Schroeder America / info@schroederamerica.com / 210-662-8200

Vin Service / info@vinservice.it / +39-035-672-361

www.aalberts.com/dt